

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	"5574849".pn. and link	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/14 09:44
L2	1	"5574849".pn. and link with (command or symbol\$1)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/14 09:44
S1	4	"6771192".pn. or "6512408".pn. or "6510185".pn. or "6587525".pn.	USPAT	OR	ON	2005/01/11 16:07
S2	4	("6771192".pn. or "6512408".pn. or "6510185".pn. or "6587525".pn.) and control	USPAT	OR	ON	2005/01/11 16:07
S3	2	S2 and sync\$8	USPAT	OR	ON	2005/01/11 16:08
S5	1	S3 and idle with symbol\$	USPAT	OR	ON	2005/01/11 16:08
S6	3	("4658396" "5588025" "6438128").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/11 16:23
S7	0	((("4658396" "5588025" "6438128").PN.) and primit\$6	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/11 16:23
S8	0	((("4658396" "5588025" "6438128").PN.) and (in adj3 band or in-band or inband)	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/11 16:24
S9	2	((("4658396" "5588025" "6438128").PN.) and band\$	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/12 08:17
S10	2	"20030227947".pn. and \$band	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 16:51
S11	182	primitiv\$3 with symbol\$1 and sync\$12	US-PGPUB; USPAT	OR	ON	2005/01/12 08:38
S12	16	S11 and idle adj3 symbol\$4	US-PGPUB; USPAT	OR	ON	2005/01/12 08:38
S13	1	S12 and silicon.as.	US-PGPUB; USPAT	OR	ON	2005/01/12 08:38
S14	3	("4658396" "5588025" "6438128").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/12 08:39
S15	0	("4658396" "5588025" "6438128").PN. and SAN	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/12 08:39

S16	2	("4658396" "5588025" "6438128").PN. and storage	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/12 08:42
S17	2	("4658396" "5588025" "6438128").PN. and switch\$3	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/12 08:40
S18	2	("4658396" "5588025" "6438128").PN. and storage and \$synch\$11	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/12 08:44
S19	0	("4658396" "5588025" "6438128").PN. and storage and \$synch\$11 and idle	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/12 08:44
S20	0	("4658396" "5588025" "6438128").PN. and storage and \$synch\$11 and idl\$3	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/12 08:44
S21	1	("4658396" "5588025" "6438128").PN. and storage and \$synch\$11 and symbol\$4	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/12 08:44
S22	1	"20030227947".pn. and primitive and disparity	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 15:13
S23	12	(stop with start with packet\$1 with symbol\$1) and (transport or network) and (link or mac) and layer\$5	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 10:26
S24	41	(begin\$7 with end\$5 with (packet\$1 or frame\$1) with symbol\$1) and (transport or network) and (link or mac) and layer\$5	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 10:49
S25	41	S24 not S23	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 10:27
S26	19	S24 not S23	USPAT	OR	ON	2005/01/12 10:27
S27	27	((begin\$7 or start\$3) with (end\$5 or stop\$4) with (packet\$1 or frame\$1) with symbol\$1) same sync\$12 and (link or mac) and layer\$5	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 10:51
S28	9	S27 and (intrafram\$ or intra\$7)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 13:56

S29	2	"5574849".pn.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 11:17
S30	1	"5574849".pn. and stop	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 14:25
S31	56	370/528.ccls. and control adj2 info\$	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 14:49
S32	226	370/528.ccls.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 14:26
S33	65	370/528.ccls. and storage	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 14:27
S34	55	370/528.ccls. and storage	USPAT	OR	ON	2005/01/12 14:38
S35	18	370/528.ccls. and san	USPAT	OR	ON	2005/01/12 14:38
S36	1	"20030227947".pn. and \$contiguous\$	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 11:44
S37	1	"6154456".pn. and stop\$4 and \$start\$4	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 14:47
S38	0	370/528.ccls. and control adj2 info\$ and Storage near20 network and symbol\$	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 15:39
S39	186	control adj2 info\$ and Storage near20 network and symbol\$ and "370".clas.	USPAT	OR	ON	2005/01/12 16:14
S40	0	S39 and 370/528.ccls.	USPAT	OR	ON	2005/01/12 14:53
S41	47	S39 and san	USPAT	OR	ON	2005/01/12 14:53
S42	4	S41 and primitive	USPAT	OR	ON	2005/01/12 15:08
S44	1	S41 and insert\$3 with (start or stop or idle) with symbol\$1	USPAT	OR	ON	2005/01/12 15:35

S45	988	control adj2 info\$ and Storage near20 network and symbol\$	USPAT	OR	ON	2005/01/12 15:35
S46	0	S44 and insert\$3 with (start or stop or idle) with symbol\$1 same stop\$4 adj10 transmi\$8 and SAN	USPAT	OR	ON	2005/01/12 15:37
S47	0	S44 and insert\$3 with (start or stop or idle) with symbol\$1 same stop\$4 adj10 transmi\$8	USPAT	OR	ON	2005/01/12 15:37
S48	1	S44 and insert\$3 with (start or stop or idle) with symbol\$1 and stop\$4 adj10 transmi\$8	USPAT	OR	ON	2005/01/12 15:55
S49	1	S44 and insert\$3 with (start or stop or idle) with symbol\$1 and start\$4 adj10 (transmi\$8 or retransmit\$8 or re-transmit\$8)	USPAT	OR	ON	2005/01/12 15:38
S52	2	370/528.ccls. and control adj2 info\$ and Storage near3 switch\$3 and symbol\$	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 15:51
S53	0	"6438128".pn. and symbol\$	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 15:51
S54	1	"6438128".pn. and control\$	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 15:52
S55	0	"6438128".pn. and control\$ and stop\$	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 15:52
S56	0	"6438128".pn. and control\$ and retransmit\$	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 15:53
S58	1	"6438128".pn. and control\$ and transmi\$	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 15:53
S59	16	S45 and insert\$3 with (start or stop or idle or control\$4) with symbol\$1 and stop\$4 adj10 transmi\$8	USPAT	OR	ON	2005/01/12 16:16

S60	16	S59 and retransmi\$	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 15:56
S61	180	control\$4 adj8 messag\$7 and Storage near20 network and symbol\$ and "370".clas.	USPAT	OR	ON	2005/01/12 16:15
S62	867	control\$4 adj8 messag\$7 and Storage near20 network and symbol\$	USPAT	OR	ON	2005/01/12 16:15
S63	5	S61 and insert\$3 with (start or stop or idle or control\$4) with symbol\$1 and stop\$4 adj10 transmi\$8	USPAT	OR	ON	2005/01/12 16:16
S64	16	S62 and insert\$3 with (start or stop or idle or control\$4) with symbol\$1 and stop\$4 adj10 transmi\$8	USPAT	OR	ON	2005/01/12 16:54
S66	0	"6707822".pn. and idle and stop	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 16:58
S67	0	"6707822".pn. and idle and interrup\$	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 16:54
S68	0	"6707822".pn. and idle	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 16:55
S69	0	"6707822".pn. and idl\$2	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 16:55
S70	3	"6707822".pn.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 16:55
S71	0	"6707822".pn. and idle	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 16:55

S76	87	control same xon same xoff and symbol\$	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 10:37
S77	59	control same xon same xoff and symbol\$	USPAT	OR	ON	2005/01/12 17:33
S78	3	S77 and idle with symbol\$	USPAT	OR	ON	2005/01/12 17:20
S79	1	"5574849".pn. and ready	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 14:53
S80	1	"5574849".pn. and ready same transmi\$	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 17:27
S81	157	(start\$3 or resum\$3 or ready) same (stop\$4 or inhibit\$3 or halt\$3 or throttl\$3 or busy) same interrupt\$3 same packet same (transm\$10 or send\$3)	USPAT	OR	ON	2005/01/12 18:25
S82	68	S81 and (backpressure or flow adj control)	USPAT	OR	ON	2005/01/12 17:36
S83	1638	(start\$3 or resum\$3 or ready) same (stop\$4 or inhibit\$3 or halt\$3 or throttl\$3 or busy) same packet same (transm\$10 or send\$3)	USPAT	OR	ON	2005/01/12 18:09
S84	1553	S83 and @ad<="20001122"	USPAT	OR	ON	2005/01/12 18:10
S85	88	S84 and 370/229-235.ccls.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 17:46
S86	879	(start\$3 or resum\$3 or ready or stop\$4 or inhibit\$3 or halt\$3 or throttl\$3 or pause or busy) with packet with (transm\$10 or send\$3) and congest\$3	USPAT	OR	ON	2005/01/12 18:15
S87	821	S86 and @ad<="20001122"	USPAT	OR	ON	2005/01/12 18:16
S88	458	S87 and flow near3 control	USPAT	OR	ON	2005/01/12 18:10
S89	400	S87 and flow adj2 control	USPAT	OR	ON	2005/01/12 18:10
S90	388	S87 and flow adj control	USPAT	OR	ON	2005/01/12 18:11
S91	23	S87 and flow adj control and xon and xoff	USPAT	OR	ON	2005/01/12 18:16

S92	430	(start\$3 or resum\$3 or ready or stop\$4 or inhibit\$3 or halt\$3 or throttl\$3 or pause or busy) with packet with (transmitting or sending) and congest\$3	USPAT	OR	ON	2005/01/12 18:16
S93	405	S92 and @ad<="20001122"	USPAT	OR	ON	2005/01/12 18:16
S94	21	S93 and flow adj control and xon and xoff	USPAT	OR	ON	2005/01/12 18:16
S95	68	S81 and ring	USPAT	OR	ON	2005/01/12 18:25
S96	27	flow near5 control\$4 same xon same xoff and symbol\$ and full near3 duplex\$3	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 10:38
S97	26	S96 and (stop\$4 or start\$3 or restart\$3 or re-start\$3 or interrupt\$) with transmi\$7	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 10:40
S98	14	S97 and storage and switch\$	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 11:17
S99	1	"5574849".pn. and interrupt\$ with packet	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 11:20
S100	2	("6157967".pn. or "5243596".pn.) and interrupt\$3	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 11:20
S101	0	"20030227947".pn. and intra\$	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 11:44
S102	101	symbol\$1 with disparity	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 14:49
S103	38	symbol\$1 with disparity	USPAT	OR	ON	2005/01/13 14:49
S104	5	symbol\$1 with disparity and "370". clas.	USPAT	OR	ON	2005/01/13 14:49

S10 5	1	"5574849".pn. and \$parity	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 15:14
S10 6	2	"20030227947".pn. and storage with device	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 15:14
S10 8	1	"5574849".pn. and storage with device	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 16:21
S10 9	1	"5574849".pn. and receiv\$ same interrupt\$ with packet	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 16:22
S11 1	1	"5574849".pn. and receiv\$ same interrupt\$ with packet same Fill near6 symbol same busy near6 symbol	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 16:27
S11 2	1	"5574849".pn. and receiv\$ with packet same halt\$ with packet same Fill near6 symbol same busy near6 symbol	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/14 09:43
S11 3	1	"5574849".pn. and receiv\$ with packet same stop\$ with packet same Fill near6 symbol same busy near6 symbol	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 16:29
S11 4	1	"20030227947".pn. and receiv\$3 with portion	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/14 09:43